


## PHO/HES/LR

### Phoenix 3W 6000K IP20 Arrow Left Right Hanging Exit Sign



## General Details

<b>Finish</b>	Polycarbonate Frame & Acrylate Legend
<b>Product Weight</b>	0.87kg
<b>Overall Dimensions</b>	330mm x 185mm 285mm
<b>Carton Weight / Material</b>	1.05 kg / Cardboard
<b>Packaging Sizes / Packed Weight</b>	Length 190mm, Height 140mm, Width 150mm
<b>Packaging &amp; Labelling Guidelines</b>	Saturn LED.eu - Generic labelling
<b>Bar Coding</b>	Saturn LED coding in accordance with EAN-12 & ITF-14
<b>IP Rating</b>	IP20
<b>Energy Rating</b>	A* - (Very Low Energy)

# Light Source

Rated Wattage	3W
Lumens	Normal: 15.1lm, Emergency: 15.4lm
Lumens Per Watt	7.17
Recommended Product Location	Indoor Emergency Lighting
Light Source Brand	LED
Colour Temperature	6000K
CRI Ra	Ra > 70
Lifespan	30,000 Hours
Lamp Working Temperature	<50°C
Beam Angle	120°
Photometric Data	Visit <a href="http://www.saturnled.eu">www.saturnled.eu</a> for full Photometric files
Emergency Duration	3 Hours
Lamp Code	N/A

# Electrical

Voltage	220-240V. 50 / 60Hz. AC.
Running Current (I)	0.024A
Total Running Wattage (W)	3W
Electrical Classification	Class II
Power Factor Correction (PFC)	0.38
Cabling Electrical Connections	Screw fix in terminal block
LED Driver	Constant Current AC&DC 90mA +/- 5mA
Battery	3.6V 900mAh Ni-cd battery
Battery Sizes	49mm x28mm x26mm (CE Approved)
Recharge Period	24 hours

## Installation

Distance from Illuminated Object	0.5m
Light Throw Distance	No limited
Method of Fix	Ceiling
Recommended Working Temperature	Minimum Temp -10°C to Maximum Temp + 40°C
Instruction Sheet	Supplied with product

## Origin & Markets

Country of Manufacture	Designed & tested in Europe - Manufactured in China
Intended Market	Europe, Middle East & Australia 220 - 240Volt

## Materials

Main Housing Material	Polycarbonate frame & Acrylate legend
Fixings Main Housing	Stainless steel screws

## Approvals

Warranty	3 Year Warranty - For more information go to <a href="http://www.saturnled.eu/warranty">www.saturnled.eu/warranty</a>
Marks & Symbols	CE -- SELV -- RoHS -- EMC -- WEEE
Quality Assurance System	SaturnLED quality assurance to ISO9001:2008
Certificate of Conformity	Available on request - <a href="mailto:technical@saturnled.eu">technical@saturnled.eu</a>
Manufactured in Accordance to	British Standard - BS EN 60598 - 2 - 22

Datasheet generated from <http://www.electrika.com> last updated Wednesday, February 21, 2018 10:32:15 AM