


SALF134K

Salford 13W 4000K IP20 Adjustable Desk Light



General Details

Finish Aluminium Housing with Polycarbonate Diffuser

Product Weight 2.2KG

Overall Dimensions 576mm x 85mm x 27mm

Carton Weight / Material 0.75 kg / Cardboard

Packaging & Labelling Guidelines Saturn LED.eu - Generic labelling

Bar Coding Saturn LED coding in accordance with EAN-12 & ITF-14

IP Rating IP20

Energy Rating A* - (Very Low Energy)

Light Source

Rated Wattage	12W
Lumens	1100
Lumens Per Watt	80
Recommended Product Location	Displays or Exhibition Lighting
Light Source Brand	Epistar LED Chips
Colour Temperature	4000K
CRI Ra	Ra > 80
Lifespan	50,000 Hours
Lamp Working Temperature	<50°C
Beam Angle	100°
Photometric Data	Visit www.saturnled.eu for full Photometric files
Lamp Code	N/A

Electrical

Voltage	220-240V. 50 / 60Hz. AC.
Electrical Classification	Class I
Cabling Electrical Connections	Screw fix in terminal block
LED Driver	Constant Current LED Driver. Pri: 240V ac. Sec: 350 Max DC 35V.

Installation

Distance from Illuminated Object	0.5m
Method of Fix	Wall mounted
Recommended Working Temperature	Minimum Temp -10°C to Maximum Temp + 40°C
Instruction Sheet	Supplied with product

Origin & Markets

Country of Manufacture Designed & tested in Europe - Manufactured in China

Intended Market Europe, Middle East & Australia 220 - 240Volt

Materials

Main Housing Material Aluminium Base : Poly Carbonate Cover

Front Shield Frosted PC Diffuser

Approvals

Warranty 5 Year Warranty - For more information go to www.saturnled.eu/warranty

Marks & Symbols CE -- SELV -- RoHS -- EMC -- WEEE

Quality Assurance System SaturnLED quality assurance to ISO9001:2008

Certificate of Conformity Available on request - technical@saturnled.eu

Manufactured in Accordance to British Standard - BS EN 60598 - 2 - 1

Datasheet generated from <http://www.electrika.com> last updated Wednesday, February 21, 2018 10:32:00 AM

